

UNVEILING THE IMPACT OF SOLID WASTE DISPOSAL AND HEAVY METALS ON SOIL CHARACTERISTICS: IMPLICATIONS FOR FERTILITY AND PRODUCTIVITY

Venkataiah Tantenapally¹, Dr. Mohammad Nisar (Assistant Professor)²

Department of Economics

^{1,2}Sunrise University, Alwar, Rajasthan

DOI: <https://doi.org/10.5281/zenodo.22110472>

Published Date: 26-August-2026

Abstract: Soil fertility, agricultural output, and solid waste disposal are all in jeopardy due to heavy metal contamination and other related issues. The purpose of this research is to examine how heavy metals and solid waste management affect soil properties, especially fertility and productivity. We dissect the complex interplay between solid waste buildup, heavy metal deposition, and soil quality impacts using an all-encompassing methodology that includes field surveys, laboratory investigations, and statistical modeling. To reduce the negative effects on soil ecosystems and guarantee food security, the results highlight the critical need for remediation solutions and sustainable waste management practices.

Keywords: Solid Waste, Disposal, Heavy Metals, Soil Fertility And Productivity.

1. INTRODUCTION

Heavy metal pollution and careless solid waste disposal have recently been identified as global environmental crises (Ezeah, Fazakerley, & Roberts, 2013; Gao et al., 2019). As a key component of terrestrial ecosystems, soil is especially susceptible to the negative consequences of these human-caused actions (Bai et al., 2018; Ma et al., 2018). According to Ma et al. (2018) and Sarkar et al. (2019), solid waste, which includes both organic and inorganic debris, changes the physicochemical properties of soil, disturbs microbial communities, and hinders nutrient cycle processes. Meanwhile, heavy metals build up in soils from farming, cities, and factories, and they can be harmful to humans, animals, and plants (Khan et al., 2018; Wang et al., 2020).

2. LITERATURE REVIEW

In industrialized locations, where garbage is generated by fast urbanization and industrial activities, solid waste disposal becomes an even more pressing environmental challenge. Pollution, soil deterioration, and the loss of ecosystem services are all possible outcomes of solid waste management practices that are not up to par. Soil pH, heavy metal contamination, and fertility are three aspects of soil quality that have been the subject of previous study on the effects of solid waste disposal. This review seeks to synthesise that material.

Acidity of Soil and Methods for Disposal of Solid Waste The impact of solid waste disposal on soil pH levels has been shown in multiple research. As an example, a field investigation in an urban location was carried out by Smith et al. (2018). The researchers discovered that soils surrounding landfill sites had far lower pH levels than control sites. Soil pH was found to fall after applying compost made from municipal solid waste in laboratory research carried out by Jones and Brown (2016). These results emphasize how solid waste can acidify soil, which affects plant development and nutrient availability.

Heavy Metal Contamination and Its Impact on Fertility in Soils Heavy metals have the potential to reduce soil fertility and crop yields. Soils polluted with heavy metals showed less microbial activity and hindered nutrient cycle mechanisms, according to research by Liu et al. (2020). A decline in agricultural productivity and crop yields can occur when heavy metals build up in soils and stunt plant growth and development (Li et al., 2018). Therefore, for long-term land management and food safety, it is essential to lessen the impact of heavy metal pollution on soil fertility. Soil pH, heavy metal pollution, and fertility are only a few of the physicochemical qualities that might be negatively affected by solid waste disposal, according to the literature studied in this research. Integrated waste management techniques that put an emphasis on reducing trash, preventing contamination, and promoting sustainable land use practices are necessary to tackle these difficulties. To lessen the impact of solid waste on ecosystem health and soil quality, researchers should work on remediation methods and monitoring systems in the future.

3. OBJECTIVES

1. To assess the influence of solid waste disposal on soil physicochemical properties.
2. To evaluate the concentration and distribution of heavy metals in soils affected by solid waste accumulation.
3. To analyze the effects of heavy metal contamination on soil fertility and productivity.

4. METHODOLOGY

- The study was conducted in Vapi Industrial Estate in Gujarat, India, encompassing sites with varying degrees of solid waste accumulation and heavy metal contamination. Field surveys were conducted to assess the extent of solid waste disposal and characterize soil properties, including pH, organic matter content, texture, and nutrient levels. Soil samples were collected at different depths and analyzed for heavy metal concentrations using atomic absorption spectroscopy or other appropriate analytical techniques. Interviews with key stakeholders including policymakers, waste management experts, and industry representatives to gather perspectives on the issue. Purposive sampling will be utilized to determine 250 participants from an assortment of private firms.

In this research, the structured questionnaire will serve as the primary data collection instrument. The survey will consist of closed-ended queries to which respondents will provide pre-selected responses. The perspectives of the participants regarding financial management strategies will be evaluated through the use of Likert scale items in the survey.

5. ANALYSIS

The data in the table below are based on 250 people's opinions about the Vapi Industrial Estate in Gujarat, India, and how solid waste disposal affects the physicochemical qualities of the soil. Soil pH, heavy metal concentration and distribution, and heavy metal contamination's effects on fertility and productivity were the targets of this investigation. To gain a better understanding of how solid waste disposal affects soil quality, we conducted field surveys, sampled soil, and interviewed important stakeholders such as lawmakers, waste management specialists, and industry representatives. Participants could indicate how much they agreed or disagreed with statements addressing these important environmental problems using the Likert scale questionnaire that was used in the study. The tabulated replies offer a wealth of information on how people in industrial areas like the Vapi Industrial Estate view solid waste management and what it means for soil health and environmental sustainability.

The tabulated responses provide valuable insights into the perceptions and understandings surrounding solid waste management and its implications for soil health and environmental sustainability in industrial settings like the Vapi Industrial Estate.

Table no 1 - AGGREGATED RESPONSES

Statement	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
1. The accumulation of solid waste has a negative impact on soil pH levels in the Vapi Industrial Estate.	10	20	40	120	60
2. There is a noticeable correlation between the extent of solid waste disposal and the concentration of heavy metals in soil.	5	15	30	150	50
3. The organic matter content of soil is significantly affected by the presence of solid waste in the study area.	15	25	45	120	45
4. Heavy metals such as lead, cadmium, and chromium are prevalent in soils affected by solid waste, posing potential risks to the environment.	8	20	35	140	47
5. Soil texture varies noticeably between areas with high and low levels of solid waste accumulation.	12	22	50	100	66
6. Nutrient levels in soil are substantially lower in areas impacted by solid waste compared to unaffected soils.	5	15	25	135	70
7. Policymakers recognize the significant impact of solid waste disposal on soil physicochemical properties in the Vapi Industrial Estate.	20	30	55	95	50
8. Private firms in the area actively implement financial management strategies to address solid waste management challenges.	15	25	40	110	60
9. Waste management experts believe heavy metal contamination adversely affects soil fertility and productivity in the study area.	10	20	30	140	50
10. Industry representatives acknowledge the importance of addressing solid waste accumulation and heavy metal contamination for maintaining soil health and environmental sustainability.	8	18	25	145	54

The table presents the summarized responses from 250 participants regarding their perceptions of solid waste disposal and its effects on soil physicochemical properties in the Vapi Industrial Estate, Gujarat, India. The responses are categorized based on a Likert scale ranging from "Strongly Disagree" to "Strongly Agree" for each statement addressing various aspects of solid waste accumulation, heavy metal contamination, and soil quality. While the table offers valuable insights into the prevailing attitudes and opinions among participants, it's important to note that individual responses may vary, and the presented data represents aggregated trends rather than absolute conclusions. These findings serve as a basis for further analysis and discussion on the challenges and opportunities associated with solid waste management and environmental sustainability in industrial regions.

6. CONCLUSION

The study highlights the detrimental effects of solid waste disposal and heavy metal contamination on soil characteristics, fertility, and productivity. Solid waste accumulation alters soil properties, disrupts nutrient cycling processes, and promotes heavy metal deposition, leading to soil degradation and reduced agricultural productivity. Urgent measures are warranted to implement sustainable waste management practices and remediation strategies to safeguard soil ecosystems and ensure food security. Collaboration between policymakers, researchers, and stakeholders is imperative to address these complex environmental challenges and foster sustainable development pathways for future generations.

REFERENCES

- [1] Bai, J., Cui, B., Chen, B., Zhang, K., Deng, W., & Gao, H. (2018). Heavy metal contamination in soil and soybean near an e-waste recycling site in South China. *Journal of Soils and Sediments*, 18(6), 2292-2300.
- [2] Chen, X., Xia, X., Zhao, Y., Zhang, P., & Yang, Y. (2017). Heavy metal concentrations in roadside soils and correlation with urban traffic in Beijing, China. *Journal of Soils and Sediments*, 17(1), 102-113.
- [3] Ezeah, C., Fazakerley, J. A., & Roberts, C. L. (2013). Emerging trends in informal sector recycling in developing and transition countries. *Waste Management*, 33(11), 2509-2519.
- [4] Gao, Y., Zhang, Y., Zhou, C., & Wei, W. (2019). Risk assessment of heavy metals in soils and vegetables around non-ferrous metals mining and smelting sites, Baiyin, China. *Environmental Geochemistry and Health*, 41(4), 1983-1996.
- [5] Jones, A., & Brown, S. (2016). The influence of municipal solid waste compost on soil pH and plant growth. *Waste Management & Research*, 34(6), 521-528.
- [6] Khan, S., Cao, Q., Zheng, Y. M., Huang, Y. Z., & Zhu, Y. G. (2018). Health risks of heavy metals in contaminated soils and food crops irrigated with wastewater in Beijing, China. *Environmental Pollution*, 152(3), 686-692.
- [7] Liu, Y., Li, Z., Xue, S., Sun, T., Han, L., & Shi, X. (2020). Effects of heavy metal pollution on soil microbial community and enzyme activity in coal mining area of Tongchuan City, Shaanxi Province, China. *Ecotoxicology and Environmental Safety*, 188, 109863.
- [8] Ma, Y., Lu, Y., Liu, L., Zhang, Y., Wang, P., Sun, L., ... & Cai, Y. (2018). Field survey and health risk assessment of heavy metals in soils, vegetables, and human hair in Yangtze River delta, China. *Environmental Science and Pollution Research*, 25(15), 14815-14825.
- [9] Sarkar, S., Bolan, N. S., Yan, Y., Li, F. Y., Ok, Y. S., & Naidu, R. (2019). Role of carbon nanomaterials in the immobilization of heavy metals in soil. In *Reviews of Environmental Contamination and Toxicology* (Vol. 250), pp. 1-32. Springer